



PRODUCT SPECIFICATION – Hotel Telephone IP60

Shandong Bittel Intelligent Technology Co., Ltd.
No. 1 Rizhao North Road, Rizhao,
Shandong, 276800, China
www.bittelgroup.com, www.hotelphone.com
info@bittelgroup.com



- Features:**
- Corded Handset VOIP and SIP compatible.
 - Mute, Flash, Speaker, Hold, Redial.
 - Redial deleted after ten minutes.
 - Adjustable earpiece / speaker volume / ringer volume.
 - Speakerphone.
 - Easy web configuration.
 - Desk or wall mountable.
 - Supports message waiting lamp key with retrieval function.
 - 8 Service buttons with icon.
 - Supports obtaining IP address via DHCP/Static IP.
 - Supports PCMU, G.723.1, G.729a/b, PCMA speech decoding algorithms.
 - Supports RFC2833, SIP INFO, and other DTMF transmission mode.
 - Supports IEEE802.1 Q standard, IEEE802.3af protocol.
 - Supports SIP protocol's standards.
 - Supports upgrade through HTTP/TFTP protocol.
 - Adopts dynamic speech detection; Comfortable noise generation; Speech buffering technologies.
 - Integrated PoE power supply function for easy installation.

CONTROLS AND FUNCTIONAL KEYS

Features Description of the functional keys


	Places the call on hold
	Microphone switch (handset)
	Flash button
	MWI – Message Waiting Indicator
	To lower or increase the speaker and handset volume
	Redial button
	For on hook dialling (speaker phone mode)
	Key for special services
	Key for special services

Colour scheme - front plates



Base unit - front

1. Customer label area
2. 8 functional keys
3. 12 numerical keys
4. Service buttons
5. Indicator (LED) - for "Line in use (blue)" and "Mute (red)"
6. Hands-free microphone



Base unit - rear

7. LAN port
8. WAN port
9. Holes for wall mounting
10. Handset cord jack

Material:	ABS, PMMA
Colours:	Anthracte with coloured plates: white, silver, black, gold, red or blue
Approved standards:	EN 55022 and EN 55024